


DATA SHEET

Variable Capacitors

Order code	Manufacturer code	Description	
12-0255	AT-201N (5)	MINIATURE TUNING CAPACITOR-AM (RC)	

Variable Capacitors	Page 1 of 5
The enclosed information is believed to be correct, Information may change ±without noticeqdue to	Revision A
product improvement. Users should ensure that the product is suitable for their use. E. & O. E.	20/02/2007

Sales: 01206 751166 Sales@rapidelec.co.uk Technical: 01206 835555 Tech@rapidelec.co.uk Fax: 01206 751188 www.rapidonline.com



SPECIFICATIONS

Model: AT-201N (5)

1. Application

This specification is applicable for 2 gangs capacitor with 2 gangs of different capacity on AM section.

2. Materials

Materials of the main components are shown on table 1.

Table 1

Component	Materials	Component	Materials
Dielectric	Polyethylene Film	Shaft	Brass
Base	PC	Stator Plate	Brass and AL
Case	Polypropylene	Terminal	Brass

3. Electrical Characteristics

3.1 Capacitance

Effective capacitance at each position is shown on table 2, defining the rotation angle 180° is expressed 100%.

Table 2

Rotation	AM(OSC)	AM(ANT)
(%)	Coefficient	Capacitance (pF)	Coefficient	Capacitance(pF)
100*	100.00	59.2	100.00	141.60
90	93.20	55.2	89.20	126.30
80	86.00	50.9	78.50	111.20
75	82.30	48.7	73.30	103.70
70	78.00	46.2	67.90	96.10
60	69.30	41.0	56.80	80.40
50	59.20	35.0	45.40	64.30
40	48.00	28.4	34.30	48.50
30	35,50	21.00	23.50	33.20
25	28.70	17.00	18.20	25.70
20	21.80	12.90	13.10	18.50
10	8.10	4.80	4.40	6.20
3	0.00	0.00	0.00	0.00

3.2 Minimum Capacitance

Minimum Capacitance shown on Table 3 is defined at the end stop, where shaft is rotated full clockwise. But trimmer capacitance is at minimum.

Table 3

Section	Minimum Capacitance
AM	OSC: $4.0 \pm 1.0 \text{pF}$ ANT: $3.0 \pm 1.0 \text{pF}$

3.3 Tolerance of Capacitance

Table 4

Condition	Section		Standard	
	OSC	AM(C1)	± (1.0pF+1.5%)	
At the angle of*	USC			
marking of Table 2	ANT	AM(C2)	\pm (1.0pF+1.5%) By eletrical indexing method	
	ANI			

3.4-3.7 Q characteristics, Insulation Resistance, Voltage Proof and Contact Resistance are shown in Table 5.

SPECIFICATIONS

Model: AT-201N (5)

Table 5

Clause	Item	Condition	Standard
3.4	Q Characteristic	AM at 10MHz and 50pF	More than 500
3.5	Insulation Resistance	At 100 D.C.V. on the whole rotation range(resistance of stator to rotor)	More than $100M \Omega$
3.6	Voltage Proof	One section is applied to 100 D.C.V. for 1 minute on the whole rotation range	Breakdown will not be occurred
3.7	Contact Resistance	The shaft is rotated at 10-20mA A.C.(500-2000Hz) on the whole range	Less than 20m Ω

4. Mechanical Characteristics

Table 6

Clause	Item	Condition	Standard		
4.1	Direction of the rotation	Capacitance change when shaft is rotated clockwise	Decreasing		
4.2	Shaft rotation	Rotation range is defined 100 for 180°	97±1%		
4.3	Rotation	Torque application when shaft is rotated full at	80-350gf-cm		
		normal condition			
4.4	Starting torque	On the whole rotation range	Within 350gf-cm		
4.5	Ratio of max	Maximun : minimun	Within 3:1		
	& min. torque				
4.5		A specimen is left in the standard test condition for	Not to be found		
	Strength of end stop	1 minutes after 6kgf-cm rotations	defects both		
			electrically and		
			mechanically		
4.6	Strength of terminals	(1) Lead terminals- to bend the terminal 2 times by	Breakdown shall not		
		90 degree up and down with 500gf pulling force	occur for terminal or		
		(2) Stator Pole terminal – to push and pull the stator	other part		
		pole for 10 seconds			

5.1 Materials

Table 7

Component	Materials
Trimmer Base	PC
Trimmer Shaft	Brass
Trimmer Rotor Plate	Brass
Trimmer Stator Plate	Brass
Trimmer Dielectric	Hostaphan Mp film

5.2-5.5

Table 8

Clause	Item	Condition	Standard
5.2	Shaft rotation		360°
5.3	Effective Capacity		More than 5pF
5.4	Q Characteristics	At maximum capacity and 10 MHz	More than 120
5.5	Rotation torque	On the whole rotation range	70-280gf-cm

6. The Standard test condition

This means the condition of temperature 5 to $35\,^{\circ}$ C and relative humidity 45 to 85%, pressure 860-1060

mbar but that of $20\pm2^{\circ}$ C and $65\pm5\%$ if there any doubt.

