

```

#!/bin/bash
# Encoding: UTF-8 (Unicode)
# :set syntax=sh
#
#=====
# ©MMXX- J. S. Gilstrap - All Rights Reserved.
#
# This program is free software; you can redistribute it and/or modify
# it under the terms of the GNU General Public License as published by
# the Free Software Foundation; version 3 of the License.
#
# This program is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License for more details.
#
# You should have received a copy of the GNU General Public License
# along with this program. If not, see <http://www.gnu.org/licenses/>.
#
# Any knowledge gained by viewing and/or using this software may NOT be used
# to file for any 'submarine' patents on applicable algorithms and/or ideas
# or any other method that would undermine the free use and/or distribution
# thereof. By viewing and/or using this software you agree to these terms.
# If you cannot agree to this then do NOT view and/or use this software.
#=====

# Oz Shoe Wizard

# Display help.
if [ "$1" = --help ]
then
    echo
    echo "[1m      Oz Shoe Wizard™=[0m"
    echo " Usage: oz-shoe-wizard [ output filename ]"
    echo
    exit 1
fi

# Text Editors
EDITORS="vi vim gvim emacs pico nano gedit kedit kate"

# ANSI Color Formatting.
# ESC character is encoded as '\e'. Use find/replace to insert the real character.
# In vi use Ctrl-V Ctrl-[ -> :1,$s+\e+^[+g

Mx="\e[30;42mM\e[47me\e[41mx\e[0m" ; UK="\e[1;38;5;129mUK\e[0m" ; US="\e[1;34mU\e[31mS\e[0m"
usM="\e[1;34mu\e[31ms\e[32mM\e[0m" ; usW="\e[1;34mu\e[31ms\e[38;5;124mW\e[0m"
BR="\e[1;48;5;40;38;5;21m B\e[33mR \e[0m" ; ITEU="\e[1;31mI\e[32mT\e[0m|\e[1;33;44mEU\e[0m" ;
FR="\e[37;44mF\e[47m \e[41mR\e[0m"
# Uncomment for no color.
#Mx="\e[1mMex\e[0m" ; UK="\e[1mUK\e[0m" ; usM="\e[1musM\e[0m" ; usW="\e[1musW\e[0m" ; BR="
\e[1mBR\e[0m " ; ITEU="\e[1mIT|EU\e[0m" ; FR="\e[1mFR\e[0m "

# Display message.
cat <<End

    \e[1;33;42m Oz Shoe Wizard \e[0m

Set Terminal Geometry to 84x40 minimum.

Paris Point to Barleycorn Last conversion accuracy is
within ±½mm from sizes usW 5 to usM 11 (UK 2½ to 10)
[Mx|UK|usM|usW] = ¼ × IT|EU - [26|25½|24½|23]

```

An online version can be found here:  
<https://www.amstzone.org/Home/shoe-size-select.html>  
An abridged version is here:  
<https://www.amstzone.org/Home/oz-shoe-wizard.html>

Width & Girth calculations are tuned to data obtained from  
DOROTHY Mass Foot Measurement Campaign of Europe in 2010.  
[https://www.3dbodyscanning.org/cap/papers/2010/10338\\_31jurca.pdf](https://www.3dbodyscanning.org/cap/papers/2010/10338_31jurca.pdf)

←[1mMondoPoint Length, Width & Girth values are barefoot measurements.  
Depending on sock thickness these can increase.←[0m

End

```
# Prompt for output filename.
unset fname
while :
do
    printf "\rOutput Filename <${1}> : \b"
    read fname
    [ -n "$fname" ] && OutFile="$fname" || OutFile="$1"
    [ -n "$OutFile" ] && break
    printf "←[1;31m Enter Filename <> : \b←[0m"
    sleep 1
done

# Open file handle for temporary file.
TMP=/tmp/oz-shoe-wizzard_$$
if exec 3> $TMP
then
    printf "\n$TMP temporary file created.\n\n"
else
    printf "\n←[1;5;31mTemp file Can NOT be created. Quitting!←[0m\n"
    sleep 1
    exit 1
fi

while :
do

# Column data processor.
Parse()
{
    local cnt=0 value label

    # Gather values
    for value in $VALUES
    do
        label=${COLUMNS[$cnt]}
        case "$label" in
            UK:) width="$value" ;;
            mm:) length="$value" ;;
            in.) in="$value" ;;
            Last.mm) last="$value" ;;
        esac
        let cnt++
    done

    cnt=0
    echo >&3
    # Print values
```

```

for value in $VALUES
do
    label=${COLUMNS[$cnt]}
    [ -z "$label" ] && break
    printf "% 15b" "${label/_/ }" >&3

    case "$label" in
        'IT|EU:')
            case "$System" in
                Barleycorn) value="$value = 1¼ × [ ${length}mm ÷ 8 +
½ ] (Foot Length)" ;;
                'MondoPoint 5mm') value="$value = 0.16 × ${length}mm (Foot
Length)" ;;
                *) value="$value = 4 × $in\" (Foot Length)"
            ;;
            esac
        ;;
        CM:) value="$value = 2⅔ × $in\" (Foot Length)" ;;
        of_Length:) value="${value}%" ;;
        Label:) value="${value/_/ }" ;;
    esac

    echo " $value" >&3
    let cnt++
done
}

# Yes/No Dialog.
qYN()
{
    local yn
    printf "$1 [y|n] : "
    read yn ; [ "$yn" = y ] && return 0 || return 1
}

# Check Value.
ckVal()
{
    if [ -z "$VALUES" ]
    then
        echo "      =[1;5;31mEnter an Available Index Number.=[0m"

    elif [ "$VALUES" = Quit ]
    then
        exit
    else
        break
    fi
}

# Edit Text File.
editFile()
{
    while :
    do
        printf "\nSelect Editor\n"

        select Ed in $EDITORS
        do
            [ -n "$Ed" ] && break
        done

        which $Ed > /dev/null 2>&1 && break
    done
}

```

```

        EDITORS=${EDITORS/$Ed/}
        printf "\n  ←[1;31mText editor '$Ed' is not available on this system.←[0m\n\n"
        sleep 1
done

$Ed "$1"
echo
}

# Create Output and Exit Clean.
exit()
{
    local pwd
    echo >&3 ; exec 3<&-
    [ "$1" != save ] && { rm $TMP ; exit 1 ; }

    clear ; cat $TMP
    echo

    if qYN "Create Text Output?"
    then
        while :
        do
            unset pwd
            printf "Save ${OutFile}.txt in <${PWD}> ? : "
            read pwd

            if [ -n "$pwd" ]
            then
                if [ -d "$pwd" ] && touch ${pwd}/isWriteable 2> /dev/null
                then
                    rm ${pwd}/isWriteable
                    CWD="$pwd"
                    break
                else
                    echo "←[1;5;31m Directory not available.←[0m"
                fi
            else
                CWD="$PWD"
                break
            fi
        done

        SAVE="${CWD}/${OutFile}.txt"

        if mv $TMP "$SAVE" > /dev/null 2>&1
        then
            echo "←[1m      ${OutFile}.txt created.←[0m"
            qYN "Edit ${OutFile}.txt ?" && \
            { export CWD ; editFile "$SAVE" ; }

            if qYN "Print ${OutFile}.txt to Default Printer?"
            then
                if lpr "$SAVE"
                then
                    echo "Sent to Print Queue."
                else
                    echo "←[1;5;31mFailed to Print.←[0m"
                    sleep 1
                    exit 1
                fi
            fi
        else

```

```

        echo "[1;5;31mFailed to Create Text File.[0m" >&2
        sleep 1
        exit 1
    fi
else
    rm $TMP > /dev/null 2>&1
fi

sleep 1
exit
}

# Add Title.
unset Ttl ; printf "Specify document title. <${OutFile//_/ }> : "
read Ttl ; [ -n "$Ttl" ] && Title="$Ttl" || Title="${OutFile//_/ }"
printf "\n$title\n" >&3 ; l=${#Title} ; l=$((l+1)) ; tildeline=`printf "% ${l}b" "\n"` ;
echo ${tildeline// /\~} >&3

# Gender Selection.
printf "\n[1mSelect Gender[0m\n"
select Gen in Male Female Unisex Quit
do
    if [ -z "$Gen" ]
    then
        echo "      [1;5;31mEnter a Correct Index Number.[0m"

    elif [ "$Gen" = Quit ]
    then
        exit
    else
        break
    fi
done

echo "      Gender: ${Gen/_/ }" >&3
[ "$Gen" = Unisex ] && printf "\nUnsex profile is an average of the male & female
profiles.\n"

# System Selection.
printf "\n[1mSelcet Sizing System.[0m\n"
select System in Barleycorn "Paris Point" "MondoPoint 5mm" "½cm Last Inc." Quit
do
    if [ -z "$System" ]
    then
        echo "      [1;5;31mEnter a Correct Index Number.[0m"

    elif [ "$System" = Quit ]
    then
        exit
    else
        break
    fi
done
printf "\n Sizing System: ${System}\n" >&3

#####
# Size Selection #
#####
clear
# Paris Point 31/3mm Last Increment, Foot increment ½".
if [ "$System" = "Paris Point" ]
then
    COLUMNS=(BR: IT\|EU: FR: Mx: UK: usM: usw: in. mm:)

```

```

printf "\n          Size, 5%% Toe Room" >&3
printf "\n=[1mParis Point Sizes, +5%% Toe Room=[0m\n"
echo "      Select Size
echo "      $BR      $ITEU      $FR      $Mx      $UK      $usM      $usW      Foot Length"
                                     in.      mm"

select VALUES in \
" 31      33      34      02/5      0.9      1.9      32/5      81/4      209.6" \
" 311/2    331/2    341/2    04/5      1.3      2.3      34/5      83/8      212.7" \
" 32      34      35      11/5      1.7      2.7      41/5      81/2      215.9" \
" 321/2    341/2    351/2    13/5      2.1      3.1      43/5      85/8      219.1" \
" 33      35      36      2      21/2      31/2      5      83/4      222.3" \
" 331/2    351/2    361/2    22/5      2.9      3.9      52/5      87/8      225.4" \
" 34      36      37      24/5      3.3      4.3      54/5      9      228.6" \
" 341/2    361/2    371/2    31/5      3.7      4.7      61/5      91/8      231.8" \
" 35      37      38      33/5      4.1      5.1      63/5      91/4      235.0" \
" 351/2    371/2    381/2    4      41/2      51/2      7      93/8      238.1" \
" 36      38      39      42/5      4.9      5.9      72/5      91/2      241.3" \
" 361/2    381/2    391/2    44/5      5.3      6.3      74/5      95/8      244.5" \
" 37      39      40      51/5      5.7      6.7      81/5      93/4      247.7" \
" 371/2    391/2    401/2    53/5      6.1      7.1      83/5      97/8      250.8" \
" 38      40      41      6      61/2      71/2      9      10      254.0" \
" 381/2    401/2    411/2    62/5      6.9      7.9      92/5      101/8      257.2" \
" 39      41      42      64/5      7.3      8.3      94/5      101/4      260.4" \
" 391/2    411/2    421/2    71/5      7.7      8.7      101/5      103/8      263.5" \
" 40      42      43      73/5      8.1      9.1      103/5      101/2      266.7" \
" 401/2    421/2    431/2    8      81/2      91/2      11      105/8      269.9" \
" 41      43      44      82/5      8.9      9.9      112/5      103/4      273.1" \
" 411/2    431/2    441/2    84/5      9.3      10.3      114/5      107/8      276.2" \
" 42      44      45      91/5      9.7      10.7      121/5      11      279.4" \
" 421/2    441/2    451/2    93/5      10.1      11.1      123/5      111/8      282.6" \
" 43      45      46      10      101/2      111/2      13      111/4      285.8" \
" 431/2    451/2    461/2    102/5      10.9      11.9      132/5      113/8      288.9" \
" 44      46      47      104/5      11.3      12.3      134/5      111/2      292.1" \
" 441/2    461/2    471/2    111/5      11.7      12.7      141/5      115/8      295.3" \
" 45      47      48      113/5      12.1      13.1      143/5      113/4      298.5" \
" 451/2    471/2    481/2    12      121/2      131/2      15      117/8      301.6" \
" 46      48      49      122/5      12.9      13.9      152/5      12      304.8" \
" 461/2    481/2    491/2    124/5      13.3      14.3      154/5      121/8      308.0" \
" 47      49      50      131/5      13.7      14.7      161/5      123/4      311.2" \
" 471/2    491/2    501/2    133/5      14.1      15.1      163/5      127/8      314.3" \
" 48      50      51      14      141/2      151/2      17      121/2      317.5" Quit
do
ckVal
done
Parse

```

# Barleycorn ~<sup>1</sup>/<sub>6</sub>" Last Increment, Foot Increment 4mm.

```
elif [ "$System" = Barleycorn ]
```

```
then
```

```
COLUMNS=(Mx: UK: usM: usW: BR: IT\|EU: FR: mm: in. Last.mm:)
```

```
printf "\n          Size, 55/6%% Toe Room" >&3
```

```
printf "\n=[1mBarleycorn Sizes, +55/6%% Toe Room=[0m\n"
```

```
echo "      Select Size
```

```
echo "      $Mx      $UK      $usM      $usW      $BR      $ITEU      $FR      Foot Length"
                                     mm      in.
```

```
Last.mm"
```

```
select VALUES in \
```

```
" -1/2      0      1      21/2      29%      31%      32%      200      7.87      211.2" \
```

```
" 0      1/2      11/2      3      301/2      321/2      331/2      204      8.03      215.5" \
```

```
" 1/2      1      2      31/2      31%      33%      34%      208      8.19      219.7" \
```

```
" 1      11/2      21/2      4      311/4      331/4      341/4      212      8.34      224 " \
```

```
" 11/2      2      3      41/2      32%      34%      35%      216      8.50      228.3" \
```

```
" 2      21/2      31/2      5      33      35      36      220      8.66      232.5" \
```

```

" 2½    3      4      5½    33%    35%    36%    224    8.82    236.8" \
" 3      3½    4½    6      34¼    36¼    37¼    228    8.97    241.1" \
" 3½    4      5      6½    34%    36%    37%    232    9.13    245⅓ " \
" 4      4½    5½    7      35½    37½    38½    236    9.29    249.6" \
" 4½    5      6      7½    36%    38%    39%    240    9.45    253.9" \
" 5      5½    6½    8      36¼    38¼    39¼    244    9.61    258.1" \
" 5½    6      7      8½    37%    39%    40%    248    9.76    262.4" \
" 6      6½    7½    9      38      40      41      252    9.92    266⅔ " \
" 6½    7      8      9½    38%    40%    41%    256    10.08   270.9" \
" 7      7½    8½    10    39¼    41¼    42¼    260    10.23   275.2" \
" 7½    8      9      10½   39%    41%    42%    264    10.39   279.5" \
" 8      8½    9½    11    40½    42½    43½    268    10.55   283.7" \
" 8½    9      10    11½   41%    43%    44%    272    10.71   288 " \
" 9      9½    10½   12    41¼    43¼    44¼    276    10.86   292.3" \
" 9½    10    11    12½   42%    44%    45%    280    11.02   296.5" \
" 10    10½   11½   13    43      45      46      284    11.18   300.8" \
" 10½   11    12    13½   43%    45%    46%    288    11.34   305.1" \
" 11    11½   12½   14    44¼    46¼    47¼    292    11.49   309⅓ " \
" 11½   12    13    14½   44%    46%    47%    296    11.65   313.6" \
" 12    12½   13½   15    45½    47½    48½    300    11.81   317.9" \
" 12½   13    14    15½   46%    48%    49%    304    11.97   322.1" \
" 13    13½   14½   16    46¼    48¼    49¼    308    12.12   326.4" \
" 13½   14    15    16½   47%    49%    50%    312    12.28   330.7" \
" 14    14½   15½   17    48      50      51      316    12.44   334.9" \
" 14½   15    16    17½   48%    50%    51%    320    12.60   339.2" Quit

```

```

do
    ckVal
done
Parse

```

```
# MondoPoint 5mm Foot Increment, 5⅓mm Last Increment.
```

```
elif [ "$System" = "MondoPoint 5mm" ]
```

```
then
```

```
    COLUMNS=(mm: BR: IT\|EU: FR: Mx: UK: usM: usW: in. Last.mm:)
```

```
    printf "\n          Size, 6⅔%% Toe Room" >&3
```

```
    printf "\n<=[1mMondoPoint Sizes, +6⅔%% Toe Room<=[0m\n"
```

```
    echo "      Select Size
```

```
    echo "          <=[1mMM<=[0m      $BR      $ITEU      $FR      $Mx      $UK      $usM      $usW      Foot Length"
```

```
in.      Last.mm"
```

```
select VALUES in \
```

```

" 205    30.8    32.8    33.8    0.2    0.7    1.7    3.2    8.07    218⅔" \
" 210    31.6    33.6    34.6    0.9    1.4    2.4    3.9    8.27    224 " \
" 215    32.4    34.4    35.4    1.5    2.0    3.0    4.5    8.46    229⅓" \
" 220    33.2    35.2    36.2    2.2    2.7    3.7    5.2    8.66    234⅔" \
" 225    34.0    36.0    37.0    2.8    3.3    4.3    5.8    8.86    240 " \
" 230    34.8    36.8    37.8    3.4    3.9    4.9    6.4    9.06    245⅓" \
" 235    35.6    37.6    38.6    4.1    4.6    5.6    7.1    9.25    250⅔" \
" 240    36.4    38.4    39.4    4.7    5.2    6.2    7.7    9.45    256 " \
" 245    37.2    39.2    40.2    5.4    5.9    6.9    8.4    9.65    261⅓" \
" 250    38.0    40.0    41.0    6.0    6.5    7.5    9.0    9.84    266⅔" \
" 255    38.8    40.8    41.8    6.6    7.1    8.1    9.6    10.04   272 " \
" 260    39.6    41.6    42.6    7.3    7.8    8.8    10.3   10.24   277⅓" \
" 265    40.4    42.4    43.4    7.9    8.4    9.4    10.9   10.43   282⅔" \
" 270    41.2    43.2    44.2    8.6    9.1    10.1   11.6   10.63   288 " \
" 275    42.0    44.0    45.0    9.2    9.7    10.7   12.2   10.83   293⅓" \
" 280    42.8    44.8    45.8    9.8    10.3   11.3   12.8   11.02   298⅔" \
" 285    43.6    45.6    46.6    10.5   11.0   12.0   13.5   11.22   304 " \
" 290    44.4    46.4    47.4    11.1   11.6   12.6   14.1   11.42   309⅓" \
" 295    45.2    47.2    48.2    11.8   12.3   13.3   14.8   11.61   314⅔" \
" 300    46.0    48.0    49.0    12.4   12.9   13.9   15.4   11.81   320 " \
" 305    46.8    48.8    49.8    13.0   13.5   14.5   16.0   12.01   325⅓" \
" 310    47.6    49.6    50.6    13.7   14.2   15.2   16.7   12.20   330⅔" \

```

```

" 315    48.4    50.4    51.4    14.3    14.8    15.8    17.3    12.40    336 " \
" 320    49.2    51.2    52.2    15.0    15.5    16.5    18.0    12.60    3411/3" Quit
do
  ckVal
done
  Parse

# 1/2 Centimeter Last Increment, 3/16" Foot Increment.
elif [ "$System" = "1/2cm Last Inc." ]
then
  COLUMNS=(CM: BR: IT\|EU: FR: Mx: UK: usM: usW: in. mm:)
  printf "\n          Size, 5%% Toe Room" >&3
  printf "\n=[1m1/2 Centimeter Sizes, +5%% Toe Room=[0m\n"
  echo "      Select Size                                     Foot
Length"
  echo "      =[1mCM=[0m    $BR    $ITEU    $FR    $Mx    $UK    $usM    $usW
in.          mm"

select VALUES in \
" 22    31    33    34    0.4    0.9    1.9    3.4    81/4    209.6" \
" 221/2  313/4  333/4  343/4  1.0    1.5    2.5    4.0    87/16  214.3" \
" 23    321/2  341/2  351/2  1.6    2.1    3.1    4.6    8%    219.1" \
" 231/2  333/4  353/4  363/4  2.2    2.7    3.7    5.2    813/16  223.8" \
" 24    34    36    37    2.8    3.3    4.3    5.8    9    228.6" \
" 241/2  343/4  363/4  373/4  3.4    3.9    4.9    6.4    93/16  233.4" \
" 25    351/2  371/2  381/2  4.0    4.5    5.5    7.0    9%    238.1" \
" 251/2  363/4  383/4  393/4  4.6    5.1    6.1    7.6    99/16  242.9" \
" 26    37    39    40    5.2    5.7    6.7    8.2    93/4    247.7" \
" 261/2  373/4  393/4  403/4  5.8    6.3    7.3    8.8    915/16  252.4" \
" 27    381/2  401/2  411/2  6.4    6.9    7.9    9.4    10%    257.2" \
" 271/2  393/4  413/4  423/4  7.0    7.5    8.5    10.0   105/16  261.9" \
" 28    40    42    43    7.6    8.1    9.1    10.6   101/2   266.7" \
" 281/2  403/4  423/4  433/4  8.2    8.7    9.7    11.2   1011/16  271.5" \
" 29    411/2  431/2  441/2  8.8    9.3    10.3   11.8   10%    276.2" \
" 291/2  423/4  443/4  453/4  9.4    9.9    10.9   12.4   111/16  281.0" \
" 30    43    45    46    10.0   10.5   11.5   13.0   111/4   285.8" \
" 301/2  433/4  453/4  463/4  10.6   11.1   12.1   13.6   117/16  290.5" \
" 31    441/2  461/2  471/2  11.2   11.7   12.7   14.2   11%    295.3" \
" 311/2  453/4  473/4  483/4  11.8   12.3   13.3   14.8   1113/16  300.0" \
" 32    46    48    49    12.4   12.9   13.9   15.4   12    304.8" \
" 321/2  463/4  483/4  493/4  13.0   13.5   14.5   16.0   123/16  309.6" \
" 33    471/2  491/2  501/2  13.6   14.1   15.1   16.6   12%    314.3" \
" 331/2  483/4  503/4  513/4  14.2   14.7   15.7   17.2   129/16  319.1" Quit
do
  ckVal
done
  Parse
else
  exit
fi

```

```

#####
# Widths & Girths #
#####

```

```

# Width & Girth Parameters.
# WIDTH|GIRTH % of Length: .##### Tangent & _BIAS: ##.## mm.
case $Gen in

```

```

  Male) # A    B    C    D    E    F    G    H    I    J    K
        WIDTH=(2328 2391 2454 2520 2587 2656 2727 2800 2874 2951 3030)
        WBIAS=(2773 2847 2923 3001 3081 3163 3248 3334 3423 3514 3608) # Updated
        GIRTH=(6044 6159 6276 6395 6516 6640 6766 6894 7025 7158 7294) # Parameters
        GBIAS=(7199 7335 7474 7616 7761 8086 8058 8211 8367 8525 8687)

```

```

#HWDTH=()
#HBIAS=()
# (2297 2364 2433 2504 2577 2652 2730 2809 2891 2976 3063)
# (2682 2761 2841 2924 3009 3097 3188 3281 3376 3475 3576) # Original
# (5815 5965 6119 6277 6439 6605 6775 6950 7129 7313 7502) # Parameters
# (7035 7216 7402 7593 7789 7990 8196 8407 8624 8847 9075)
;;
# The Unisex array has been updated and is now a middle average of the Male & Female
Arrays.
Unisex)
WIDTH=(2948 3029 3112 3197 3285 3375 3468 3563 3660 3761 3864)
WBIAS=(1059 1088 1117 1148 1180 1212 1245 1279 1314 1350 1388) # Updated
GIRTH=(7606 7761 7920 8081 8246 8414 8585 8760 8939 9121 9307) # Parameters
GBIAS=(2731 2787 2844 2902 2961 3021 3083 3146 3210 3275 3342)
#HWDTH=()
#HBIAS=()
# (2413 2484 2556 2631 2707 2786 2868 2951 3038 3126 3217)
# (2310 2378 2447 2519 2592 2668 2746 2826 2908 2993 3081) # Original
# (5672 5818 5968 6122 6280 6442 6608 6778 6953 7132 7316) # Parameters
# (7112 7295 7483 7676 7874 8077 8286 8499 8718 8943 9174)
;;
Female)
WIDTH=(2537 2608 2682 2757 2835 2915 2997 3082 3168 3258 3349)
WBIAS=(1966 2021 2078 2137 2197 2259 2322 2388 2455 2524 2595) # Updated
GIRTH=(6494 6637 6784 6934 7087 7244 7404 7568 7735 7906 8081) # Parameters
GBIAS=(5032 5143 5257 5373 5492 5613 5737 5864 5994 6126 6262)
#HWDTH=()
#HBIAS=()
# (2529 2603 2679 2757 2838 2921 3006 3094 3184 3277 3372)
# (1938 1995 2053 2113 2175 2238 2304 2371 2440 2511 2585) # Original
# (5528 5670 5817 5967 6121 6279 6440 6607 6777 6952 7131) # Parameters
# (7188 7374 7564 7759 7959 8164 8375 8591 8813 9040 9273)
;;
esac

# Calculate Width & Girth.
[ $#length -gt 3 ] && l=${length/./} || l="${length}0"
Q=0
for L in {A..K}
do
    w=${WIDTH[$Q]}
    ow=${WBIAS[$Q]}
    g=${GIRTH[$Q]}
    og=${GBIAS[$Q]}
    # h=${HWDTH[$Q]}
    #oh=${HBIAS[$Q]}

    w=$(( $w * $l + ${ow}000 ))
    p=$(( $w / $l + 5 ))
    g=$(( $g * $l + ${og}000 ))
    r=$(( 1000 * $g / $w + 5 ))
    w=$(( ($w + 5000) / 10000 ))
    g=$(( ($g + 5000) / 10000 ))
    p=${p:0:2}.${p:2:1}
    #h=$(( $h * $l + ${oh}000 ))
    #h=$(( ($h + 5000) / 10000 ))

    eval $L=\$p
    eval w$L=\$w
    eval g$L=\$g
    eval r$L=\$r
    #eval h$L=\$h
    ((Q++))

```

done

```
procWidth()  
{  
  if [ -z "$VALUES" ]  
  then  
    echo "      <=[1;5;31mEnter an Available Index Number.<=[0m"  
  
  elif [ "${VALUES:1:4}" = Quit ]  
  then  
    exit save  
  else  
    break  
  fi  
}
```

N=\$C ; M=\$E ; W=\$G ; X=\$I

# Width Selection.

clear

COLUMNS=(of\_Length: US: UK: Label: Alt.)

printf "\n<=[1mShoe Widths<=[0m\n"

echo "Select Width (Percent of Foot Length)"

echo " Percent \$US \$UK Label Alt."

if [ \$Gen = Male ]

then

select VALUES in \  
" \$A AA B Slim II \  
" \$B A C Narrow III \  
" \$C B D NarMed IV \  
" \$D C E Medium V \  
" \$E D F WidMed VI \  
" \$F E G Wide VII \  
" \$G EE H 2X\_Wide VIII \  
" \$H EEE I 3X\_Wide IX \  
" \$I 4E J 4X\_Wide X \  
" \$J 5E K 5X\_Wide XI \  
" \$K 6E L 6X\_Wide XII \  
" \$N Nar N Narrow III \  
" \$M Med M Medium V \  
" \$W Wid W Wide VII \  
" \$X 2XW X 2X\_Wide IX \  
" Quit

do

procWidth

done

else

select VALUES in \  
" \$A AAA A X\_Slim I \  
" \$B AA B Slim II \  
" \$C A C Narrow III \  
" \$D B D NarMed IV \  
" \$E C E Medium V \  
" \$F D F WidMed VI \  
" \$G E G Wide VII \  
" \$H EE H 2X\_Wide VIII \  
" \$I EEE I 2X\_Wide IX \  
" \$J 4E J 4X\_Wide X \  
" \$K 5E K 5X\_Wide XI \  
" \$N Nar N Narrow III \  
" \$M Med M Medium V \  
" \$W Wid W Wide VII \  
" \$X 2XW X 2X\_Wide IX \  
" Quit

done

```

" Quit
do
    procWidth
done
fi

printf "\n          Width" >&3

Parse

if [ $Gen = Male ]
then
    case $width in
        B) width=A ;; C) width=B ;; D) width=C ;; E) width=D ;; F) width=E ;; G) width=F ;;
        H) width=G ;; I) width=H ;; K) width=I ;; K) width=J ;; L) width=K ;;
    esac
fi

# Set Width & Girth.
case $width in
    A) w=$wA ; g=$gA ; r=$rA ; h=$hA ;; B) w=$wB ; g=$gB ; r=$rB ; h=$hB ;; C) w=$wC ;
g=$gC ; r=$rC ; h=$hC ;;
    D) w=$wD ; g=$gD ; r=$rD ; h=$hD ;; E) w=$wE ; g=$gE ; r=$rE ; h=$hE ;; F) w=$wF ;
g=$gF ; r=$rF ; h=$hF ;;
    G) w=$wG ; g=$gG ; r=$rG ; h=$hG ;; H) w=$wH ; g=$gH ; r=$rH ; h=$hH ;; I) w=$wI ;
g=$gI ; r=$rI ; h=$hI ;;
    J) w=$wJ ; g=$gJ ; r=$rJ ; h=$hJ ;; K) w=$wK ; g=$gK ; r=$rK ; h=$hK ;; N) w=$wC ;
g=$gC ; r=$rC ; h=$hC ;;
    M) w=$wE ; g=$gE ; r=$rE ; h=$hE ;; W) w=$wG ; g=$gG ; r=$rG ; h=$hG ;; X) w=$wI ;
g=$gI ; r=$rI ; h=$hI ;;
esac

# Print MondoPoint Length, Width, and Girth Values.
c=$(( ${#w} - 1 ))
printf "\n      MondoPoint (Weight Bearing)\n" >&3
echo      "          Length: ${l:0:3}.${l:3:1} mm" >&3
printf    "          Width: " >&3 ; printf "%9b" "${w:0:$c}.${w:$c:1} mm\n" >&3
echo      "          Girth: ${g:0:3}.${g:3:1} mm" >&3
echo      "          G÷W Ratio:  ${r:0:1}.${r:1:2}" >&3
#echo     "          Heel Width:  ${h:0:2}.${h:2:1} mm" >&3

if qYN "All OK?"
then
    break
else
    qYN "Redo?" || exit
fi

done

# Add Notes.
if qYN "Add any Notes?"
then
    printf "\nNOTE: To End use Ctrl-D on a New Line.\n\n"
    printf "\nNotes:\n" >&3
    cat >&3
fi

exit save
exit 1

```